North America's Leader in Hazardous Material Information Management

1905 Aston Avenue, Carlsbad, CA 92008 Phone (800) 451-8346 Fax (760) 602-8888

# MSDS PRODUCT INFORMATION

Date: 10/07/2005

To: MSDS Requester

From: 3E Company

Subject: The MSDS you have requested

### [ ] MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communicatin Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

#### [X] MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

#### [ ] MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

#### [ ] MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: S.C. Johnson Wax

Product Name: Glade Plug-Ins-Botanical Garden (DISCONTINUED)

# MATERIAL SAFETY DATA SHEET

Page 1 of 3 MSDS # 110647001

### GLADE PLUG-INS - BOTANICAL GARDEN\*

# Date Issued:15Mar1999

# Supersedes:19Jun1995

				• • • • • • • • • • • • • • • • • • • •
US MANUFACTURER S.C Johnson & Son, Phone: (800) 725-67 Racine, Wisconsin 5 Emergency Phone (8 International Emerg	37 3403-2 88) 77 ency P	9-7920	CANADIAN MANUFACTURER S C Johnson and Son, Limited Phone (800) 725-6737 1 Webster Street Brantford, Ontario N3T 5R1 Transportation Emergency CANUTEC (collect) (613) 996-666 Poison Control: (888) 779-792	
HAZARD RATING	HMIS	HAZARD	NFPA	DISTRIBUTED IN CANADA BY
4-Very High 3-High 2-Moderate 1-Slight O-Insignificant	2 0	Fealth Flammability Reactivity Special	0	Brantford, Ontario N3T 5R1
SECTION	1 - PI	RODUCT IDE	NTIFIC	CATION

PRODUCT NAME	GLADE PLUG-INS® - BOTANICAL GARDEN*
REASON FOR CHANGE	No significant changes Section 5
PRODUCT USE	Air care

PRUDUCI USE . . . Air care

UPC	SCJ CODE	QUANTITY	US \$IZE	CANADIAN SIZE
62300 00555	555	12		1 00 EA

### ----- SECTION 2 - INGREDIENT INFORMATION -----

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Amorphous Fumed Silica (CAS# 7631-86-9)	1-5	5 mg/m <sup>3</sup> (RESPIRABLE DUST), 10 mg/m <sup>3</sup> (TDTAL DUST) ACGIH-NUISANCE DUST (SUPPLIER RECOMMENDED)

# ------ SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11) ---------

```
ROUTE(S) OF ENTRY
                        Skin contact
EFFECTS OF ACUTE EXPOSURE
 EYE . . . .
                        May cause Moderate eye irritation
 SKIN
                        May cause Mild skin irritation.
 INHALATION
                        None known.
 INGESTION .
                        None known
MEDICAL CONDITIONS .
                        None known
 GENERALLY RECOGNIZED
 AS BEING AGGRAVATED
 BY EXPOSURE
```

#### ------ SECTION 4 - FIRST AID MEASURES ------

EYE CONTACT.		Flush immediately with plenty of water for at least 15 to 20
		minutes If irritation persists, get medical attention
SKIN CONTACT		Wash contaminated area with water and soap If irritation
		persists, get medical attention
INHALATION.	- 1	No special requirements
INGESTION		Seek immediate medical attention

## ------ SECTION 5 - FIRE AND EXPLOSION INFORMATION ------

FLASH POINT . 153-156°F (67-69°C) (TCC)

Page 2 of 3 MSDS # 110647001

# GLADE PLUG-INS - BOTANICAL GARDEN\*

Date Issued:15Mar1999 Supersedes:19Jun1995

# ----- SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued) -----

FLAMMABLE LIMITS . . Not applicable AUTOIGNITION. . . . Not applicable.

**TEMPERATURE** 

EXTINGUISHING MEDIA . Foam CO2. Dry chemical Water fog SPECIAL FIREFIGHTING. Normal fire fighting procedure may be used

**PROCEDURES** 

UNUSUAL FIRE AND. No special hazards known

EXPLOSION HAZARDS

### ------ SECTION 6 - PREVENTIVE RELEASE MEASURES ------

CASE MATERIAL IS RELEASED OR SPILLED

STEPS TO BE TAKEN IN. Eliminate all ignition sources. Dike large spills Absorb with oil-dri or similar inert material. Sweep or scrape up and

containerize

## ------ SECTION 7 - HANDLING AND STORAGE ------

PRECAUTIONARY. INFORMATION

Do not remove or puncture clear film covering gel. Avoid contact with eyes. If such contact occurs, flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, seek medical and. Do not place open cartridges on finished wood surfaces Keep out of reach of children

OTHER HANDLING AND . STORAGE CONDITIONS Observe good personal hygiene practices

# ----- SECTION 8 - SPECIAL PROTECTION INFORMATION ------

RESPIRATORY PROTECTION No special requirements under normal use conditions.

VENTILATION . . No special requirements.

PROTECTIVE GLOVES. . . No special requirements under normal use conditions EYE PROTECTION . . . No special requirements under normal use conditions OTHER PROTECTIVE . . No special requirements

**MEASURES** 

#### ------ SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ------

Clear Pale Yellow

Not applicable

pH SOLUBILITY IN WATER Neg igible

SPECIFIC GRAVITY. . .

(H20=1)

VAPOR DENSITY (AIR=1). Not available. EVAPORATION RATE (BUTYL Not available.

ACETATE=1)

VAPOR PRESSURE (mm HG). Not available BOILING POINT.... Not available FREEZING POINT . Not available

PERCENT VOLATILE BY . 95-99

VOLUME (%)

VOLATILE ORGANIC.... Not available.

COMPOUND (VOC)

THEORETICAL VOC Not available.

(LB/GAL)

#### MATERIAL SAFETY DATA SHEET

Page 3 of 3

MSDS # 110647001

#### GLADE PLUG-INS - BOTANICAL GARDEN\*

Date Issued:15Mar1999

Supersedes:19Jun1995

----- SECTION 10 - STABILITY AND REACTIVITY -----STABILITY Stable STABILITY - CONDITIONS Not applicable DIDVA OT INCOMPATIBILITY. Not applicable HAZARDOUS DECOMPOSITION No special requirements. PRODUCTS HAZARDOUS. Will not occur. POLYMERIZATION HAZARDOUS. POLYMERIZATION -Not applicable CONDITIONS TO AVOID ------ SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) ----------------EFFECTS OF CHRONIC. . None known EXPOSURE ----- SECTION 12 - ECOLOGICAL INFORMATION -----ENVIRONMENTAL DATA... Not applicable ------ SECTION 13 - DISPOSAL CONSIDERATIONS -----WASTE DISPOSAL. .. .. No special method Observe all applicable Federal/ Provincial/ INFORMATION State regulations and Local/ Municipal ordinances regarding disposal of non-hazardous materials ------ SECTION 14 - TRANSPORTATION INFORMATION ------US DOT INFORMATION . . Please refer to the Bill of Lading/receiving documents for up-to-date shipping information ----- SECTION 15 - REGULATORY INFORMATION ------All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. This product is not subject to the reporting requirements under California's Proposition 65. ----- SECTION 16 - OTHER INFORMATION -----ADDITIONAL INFORMATION. Use as directed EPA REGISTRATION # . Not applicable. ----- PREPARATION INFORMATION ------PREPARED BY . Manufacturer's Technical Support Department. Refer to page 1 (Manufacturer) for contact information This document has been prepared using data from sources considered technically reliable

This document has been prepared using data from sources considered technically reliable It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

\*This is a trademark of S.C. Johnson & Son, Inc.

PRINT DATE: 080ct 1999